



8 a.m. - 5 p.m. Sales Available
International: 1-919-443-0207
Toll Free: 1-888-551-3082



Visit Our Website
www.wakeindustrial.com



Email Us
sales@wakeindustrial.com

All Products from Wake Industrial, LLC, come with:

Sales and Repairs

We specialize in providing immediate product delivery when your system goes down. We have thousands of In-Stock automation products and offer a full range of repair options.

Fast Shipping

We ship worldwide, offering any type of shipping method with all the major logistic companies such as FedEx, UPS, DHL, USPS, and a variety of freight carriers.

Quality Guarantee

With standards like our 1 year warranty on ALL products, we can guarantee a better customer service experience than any other company within our industry.

Damage Free Delivery



All of our products are cleaned, go through quality control and are shipped using a custom military grade foam to ensure your product arrives undamaged. We have the capability to ship both small 1lb products and large 200lb+ automation parts regardless of your location.

Stay In Touch


Wake Industrial, LLC
1620 Old Apex Road
Cary, NC 27513

Wake Industrial is not affiliated with nor an authorized distributor or representative of any manufacturers, brands or products listed.

Call: 1-888-551-3082
International: 1-919-443-0207
Fax: 1-919-267-1705

Email: sales@wakeindustrial.com
Website: www.wakeindustrial.com


Displays
15" display
IndraControl VDP 40



Displays

15" display ■ IndraControl VDP 40

Documentation



Technical data

	VDP 40.3 DE	VDP 40.3 BI	VDP 40.3 DF
Display			
Type	TFT		
Size	38.1 cm (15")		
Colors/gray scales	16 Mio		
	Colors		
Resolution	1024 x 768		
Operation			
Type	Touch operation	Keyboard operation	Touch/key operation
Function keys	0	16	
Machine keys	0	16	
Additional keys	0	14	
Keyboard	Additional component IndraControl VAK		
Status LED	Voltage		
	Hard disk		
	Temperature		
	UPS		
Interfaces			
USB	1 x Front USB		
	4 x USB		
Serial	1 x CDI interface Industrie-PC connection to display/terminal		
Electrical data			
Power supply U	24 V DC		
$U_{\min} \dots U_{\max}$	19 V DC ... 30 V DC		
Power consumption	35 W		
Protection			
Protection category - overall	IP20		
Degree of protection front	IP65		
Miscellaneous			
Colors	RAL 7035 light gray		

Displays

15" display ■ IndraControl VDP 40

Load	
Vibration resistance	1 g
Shock resistance	15 g
Norms and Standards	
Certification	CE/UL/CSA
Environmental conditions	
Permissible temperature (operation)	+5 °C ... +45 °C
Permissible humidity (operation)	5% ... 85%, EN 61131-2
Weight	
Weight	5,8 kg

Dimensions

		VDP 40.3 DE	VDP 40.3 BI	VDP 40.3 DF
Dimensions				
A	[mm]	370	370	370
B	[mm]	407	407	407
C	[mm]	46	46	60
X	[mm / °]	381 / 15	381 / 15	381 / 15

Ordering information

Type code	Description	Material number:
VDP40.3DEN-D1-NN-NN	IndraControl VDP 40 with 38.1 cm (15") display, touch screen	R911171016
VDP40.3BIN-D1-NN-NN	IndraControl VDP 40 with 38.1 cm (15") display, foil keys	R911171017
VDP40.3DFN-D1-NN-NN	IndraControl VDP 40 with 38.1 cm (15") display, touchscreen, foil keys	R911171018

Type code	Description	Material number:
DOK-SUPPL*-VDP*XX.3***-PR03-DE-P	IndraControl VDP project planning manual (DE)	R911328471
DOK-SUPPL*-VDP*XX.3***-PR01-EN-P	IndraControl VDP project planning manual (EN)	R911328472
DOK-SUPPL*-VDP*XX.3***-IT03-DE-P	Instruction manual IndraControl VDP (DE)	R911336377
DOK-SUPPL*-VDP*XX.3***-IT03-EN-P	Instruction manual IndraControl VDP (EN)	R911336378

Accessories**Auxiliary components**

Description		
HMI/industrial PC	Accessories	IndraControl VAC, VAP, VAU

Bosch Rexroth AG

Postfach 13 57
97803 Lohr, Germany
Bgm.-Dr.-Nebel-Str. 2
97816 Lohr, Germany
Tel. +49 9352 18-0
Fax +49 9352 18-8400
www.boschrexroth.com/electrics

Local contact information can be found at:

www.boschrexroth.com/adressen

The data specified above only serve to describe the product. As our products are constantly being further developed, no statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification.

It must be remembered that our products are subject to a natural process of wear and aging.