



8 a.m. - 5 p.m. Sales Available
International: 1-919-443-0207
Toll Free: 1-888-551-3082



Visit Our Website
www.wakeindustrial.com



Email Us
sales@wakeindustrial.com

All Products from Wake Industrial, LLC, come with:

Sales and Repairs

We specialize in providing immediate product delivery when your system goes down. We have thousands of In-Stock automation products and offer a full range of repair options.

Fast Shipping

We ship worldwide, offering any type of shipping method with all the major logistic companies such as FedEx, UPS, DHL, USPS, and a variety of freight carriers.

Quality Guarantee

With standards like our 1 year warranty on ALL products, we can guarantee a better customer service experience than any other company within our industry.

Damage Free Delivery



All of our products are cleaned, go through quality control and are shipped using a custom military grade foam to ensure your product arrives undamaged. We have the capability to ship both small 1lb products and large 200lb+ automation parts regardless of your location.

Stay In Touch

Wake Industrial, LLC
1620 Old Apex Road
Cary, NC 27513

Wake Industrial is not affiliated with nor an authorized distributor or representative of any manufacturers, brands or products listed.

Call: 1-888-551-3082
International: 1-919-443-0207
Fax: 1-919-267-1705

Email: sales@wakeindustrial.com
Website: www.wakeindustrial.com

HMI/industrial PC
Box PC
IndraControl VPB





IndraControl VPB provides a professional solution for applications where PC and control unit have to be separated. The variable industrial box PCs are securely mounted in a control cabinet and connected to various displays and terminals. We offer different versions of the box PCs in terms of computing power, storage capacity, plug-in cards, etc. for various industry requirements.

Technical data

	VPB 40.3 Slot 1	VPB 40.3 Slot 2	VPB 40.3 Slot 4
Processor			
CPU	Celeron P4500 1.86 GHz Core i5-520M 2.4 GHz Core i7-620M 2.66 GHz Core i7-3612QE 2,1 GHz	Celeron P4500 1.86 GHz Core i5-520M 2.4 GHz Core i7-620M 2.66 GHz Core i7-3612QE 2,1 GHz	Celeron P4500 1.86 GHz Core i5-520M 2.4 GHz Core i7-620M 2.66 GHz Core i7-3612QE 2,1 GHz
Operating system	Windows XP Windows 7		
Hardware			
PCI/PCIe slots	1/0	2/0; 1/1	4/0; 2/2; 0/4
Hard disk	1 x 320 GB (Standard)		
Hard disk (RAID 1)	2 x 320 GB (Option)		
Solid State Disk SSD	192 GB (Option)		
DVD-ROM/DVD-RW	DVD burner (Option)		
Memory			
Use / application	2 GB 4 GB 8 GB	2 GB 4 GB 8 GB	2 GB 4 GB 8 GB
Interfaces			
Ethernet	2 x Ethernet TCP/IP (1Gbit/s)		
USB	6 x USB 2.0		
External service monitor	1 x DVI		
Serial	1 x CDI interface Industrie-PC connection to display/terminal		
Electrical data			
Power supply U	24 V DC		
U _{min} ... U _{max}	19 V DC ... 30 V DC		
Power consumption	160 W		
UPS	External		

HMI/industrial PC

Box PC ■ IndraControl VPB

Protection			
Protection category - overall	IP20		
Load			
Vibration resistance	1 g		
Shock resistance	15 g		
Norms and Standards			
Certification	CE/UL/CSA		
Environmental conditions			
Permissible temperature (operation)	+5 °C ... +45 °C		
Permissible humidity (operation)	5% ... 85%, EN 61131-2		
Weight			
Weight	2,5 kg	2,6 kg	3,3 kg

Dimensions

		VPB 40.3 Slot 1	VPB 40.3 Slot 2	VPB 40.3 Slot 4
Dimensions				
Height H, 1 slot	[mm]	205	0	0
Width B, 1 slot	[mm]	84	0	0
Length T, 1 slot	[mm]	181	0	0
Height H, 2 slot	[mm]	0	205	0
Width B, 2 slot	[mm]	0	110	0
Length T, 2 slot	[mm]	0	181	0
Height H, 4 slot	[mm]	0	0	321
Width B, 4 slot	[mm]	0	0	92
Length T, 4 slot	[mm]	0	0	181

Ordering information

Type code	Description	Material number:
VPB40.3D1L-2G0NN-C3D-DN-NN-FW	IndraControl VPB40.3, Celeron P4500 1.86 GHz, 2 GB RAM, 2x PCI slots, 320 GB HDD	R911172456
VPB40.3D1M-2G0NN-C3D-DE-NN-FW	IndraControl VPB40.3, Celeron P4500 1.86 GHz, 2 GB RAM, 4x PCI slots, 320 GB HDD, DVD burner	R911172461
VPB40.3D1M-2G0NN-C3D-HN-NN-FW	IndraControl VPB40.3, Celeron P4500 1.86 GHz, 2 GB RAM, 4x PCI slots, 192 GB SSD	R911172924
VPB40.3D1N-2G0NN-C3D-DN-NN-FW	IndraControl VPB40.3, Celeron P4500 1.86 GHz, 2 GB RAM, 1x PCI and 1x PCIe slot, 320 GB HDD	R911172570
VPB40.3D1L-2G0NN-D4D-DN-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 2x PCI slots, 320 GB HDD	R911172457
VPB40.3D1L-2G0NN-D4D-HN-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 2x PCI slots, 192 GB SSD	R911172886
VPB40.3D1L-2G0NN-D4D-EE-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 2x PCI slots, 2x 320 GB HDD (RAID1) DVD burner	R911172926
VPB40.3D1L-2G0NN-D4D-DE-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 2x PCI slots, 320 GB HDD, DVD burner	R911172928

Box PC ■ IndraControl VPB

Type code	Description	Material number:
VPB40.3D1L-2G0NN-D4D-EN-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 2x PCI slots, 2x 320 GB HDD (RAID1)	R911172943
VPB40.3D1M-2G0NN-D4D-DE-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 4x PCI slots, 320 GB HDD, DVD burner	R911172462
VPB40.3D1M-2G0NN-D4D-EE-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 4x PCI slots, 2x 320 GB HDD (RAID1) DVD burner	R911172463
VPB40.3D1N-2G0NN-D4D-DN-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 1x PCI and 1x PCIe slot, 320 GB HDD	R911172571
VPB40.3D1M-2G0NN-D4D-EN-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 4x PCI slots, 2x 320 GB HDD (RAID1)	R911173041
VPB40.3D1L-2G0NN-C3D-HN-NN-FW	IndraControl VPB40.3, Core i5-520M 1.86 GHz, 2 GB RAM, 2x PCI slots, 192 GB SSD	R911173679
VPB40.3D1L-4G0NN-D4D-HN-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 4 GB RAM, 2x PCI slots, 192 GB SSD	R911173726
VPB40.3D1L-4G0NN-D4D-KN-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 4 GB RAM, 2x PCI slots, 2x 192 GB SSD (RAID1)	R911173727
VPB40.3D1L-4G0NN-D5D-KN-NN-FW	IndraControl VPB40.3, Core i5-620M 2.66 GHz, 4 GB RAM, 2x PCI slots, 2x 192 GB SSD (RAID1)	R911173729
VPB40.3D1L-8G0NN-D6D-DN-NN-FW	IndraControl VPB40.3, Core i7-3612QE quad core 2.1 GHz, 8 GB RAM, 2x PCI slots, 320 GB HDD	R911173590
VPB40.3D1R-2G0NN-D4D-DN-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 4x PCIe slots, 320 GB HDD	R911173281
VPB40.3D1R-4G0NN-D5D-DE-NN-FW	IndraControl VPB40.3, Core i5-620M 2.66 GHz, 4 GB RAM, 4x PCIe slots, 320 GB HDD, DVD burner	R911173277
VPB40.3D1R-4G0NN-D5D-DN-NN-FW	IndraControl VPB40.3, Core i7-620M 2.66 GHz, 4 GB RAM, 4x PCIe slots, 320 GB HDD	R911173056
VPB40.3D1K-2G0NN-D4D-DN-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 1x PCI slot, 320 GB HDD	R911173259
VPB40.3D1L-4G0NN-D5D-DN-NN-FW	IndraControl VPB40.3, Core i7-620M 2.66 GHz, 4 GB RAM, 2x PCI slots, 320 GB HDD	R911172459
VPB40.3D1L-4G0NN-D5D-EE-NN-FW	IndraControl VPB40.3, Core i7-620M 2.66 GHz, 4 GB RAM, 2x PCI slots, 2x 320 GB HDD (RAID1) DVD burner	R911172626
VPB40.3D1L-4G0NN-D5D-EN-NN-FW	IndraControl VPB40.3, Core i7-620M 2.66 GHz, 4 GB RAM, 2x PCI slots, 2x 320 GB HDD (RAID1)	R911172753
VPB40.3D1L-4G0NN-D5D-HN-NN-FW	IndraControl VPB40.3, Core i7-620M 2.66 GHz, 4 GB RAM, 2x PCI slots, 192 GB SSD	R911172887
VPB40.3D1M-4G0NN-D5D-DE-NN-FW	IndraControl VPB40.3, Core i7-620M 2.66 GHz, 4 GB RAM, 4x PCI slots, 320 GB HDD, DVD burner	R911172464
VPB40.3D1M-4G0NN-D5D-EE-NN-FW	IndraControl VPB40.3, Core i7-620M 2.66 GHz, 4 GB RAM, 4x PCI slots, 2x 320 GB HDD (RAID1) DVD burner	R911172465
VPB40.3D1M-4G0NN-D5D-HN-NN-FW	IndraControl VPB40.3, Core i7-620M 2.66 GHz, 4 GB RAM, 4x PCI slots, 192 GB SSD	R911172889
VPB40.3D1Q-4G0NN-D5D-DN-NN-FW	IndraControl VPB40.3, Core i7-620M 2.66 GHz, 4 GB RAM, 2x PCI and 2x PCIe slots, 320 GB HDD	R911172784
VPB40.3D1Q-4G0NN-D5D-EE-NN-FW	IndraControl VPB40.3, Core i7-620M 2.66 GHz, 4 GB RAM, 2x PCI/2x PCIe slots, 2x 320 GB HDD (RAID1) DVD burner	R911172953
VPB40.3D1M-2G0NN-D4D-HN-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 4x PCI slots, 192 GB SSD	R911173496
VPB40.3D1M-4G0NN-D4D-HN-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 4 GB RAM, 4x PCI slots, 192 GB SSD	R911173728
VPB40.3D1M-4G0NN-D5D-EN-NN-FW	IndraControl VPB40.3, Core i7-620M 2.66 GHz, 4 GB RAM, 4x PCI slots, 2x 320 GB HDD (RAID1)	R911173231
VPB40.3D1Q-16GNN-D6D-HN-NN-FW	IndraControl VPB40.3, Core i7-3612QE quad core 2.1 GHz, 16 GB RAM, 2x PCI and 2x PCIe slots, 192 GB SSD	R911173983
VPB40.3D1Q-2G0NN-D4D-DN-NN-FW	IndraControl VPB40.3, Core i5-520M 2.4 GHz, 2 GB RAM, 2x PCI and 2x PCIe slots, 320 GB HDD	R911173637
VPB40.3D1Q-8G0NN-D6D-HN-NN-FW	IndraControl VPB40.3, Core i7-3612QE quad core 2.1 GHz, 8 GB RAM, 2x PCI and 2x PCI2 slots, 192 GB SSD	R911173441

HMI/industrial PC

Box PC ■ IndraControl VPB

Type code	Description	Material number:
VAP01.1H-W23-024-010-NN	24 V DC power supply unit, 100-120/200-240 V AC Auto Select	R911171065
VAU01.1U-024-024-240-NN	Uninterrupted power supply UPS, 24 V DC, 240 watts	R911171024

Type code	Description	Material number:
FWA-VS3VP3-WXP-03VRS-A0-OEM	Firmware, operating system Windows XP, English with MUI language extensions (German, French, Italian, Spanish, Portuguese, Swedish)	R911172447
FWA-VS3VP3-WXP-03VRS-A0-OEM A1	Firmware, operating system Windows XP, English with MUI language extensions (German, French, Italian, Spanish, Portuguese, Swedish) and Acronis data backup software	R911172448
FWA-VP3***-W7*-01VRS-A0-OEM	Firmware, operating system Windows 7 (64-bit), English with language extensions (German, French, Italian, Spanish, Portuguese, Swedish)	R911172607
FWA-VP3***-W7*-01VRS-A0-OEM A1	Firmware, operating system Windows 7 (64-bit), English with language extensions (German, French, Italian, Spanish, Portuguese, Swedish) and Acronis data backup software	R911172608

Type code	Description	Material number:
DOK-SUPPL*-VPB*40.3***-PR04-DE-P	IndraControl VPB project planning manual (DE)	R911323875
DOK-SUPPL*-VPB*40.3***-PR04-EN-P	IndraControl VPB project planning manual (EN)	R911323876
DOK-SUPPL*-VPB*40.3***-IT	Operating instructions for Rexroth IndraControl VPB (DE)	R911336749
DOK-SUPPL*-VPB*40.3***-IT_XXX	Operating instructions for Rexroth IndraControl VPB (EN)	R911336750
DOK-SUPPL*-VAU*01.1X**-IT	Operating instructions for Rexroth IndraControl VAU (DE)	R911336866
DOK-SUPPL*-VAU*01.1X**-IT_XXX	Operating instructions for Rexroth IndraControl VAU (EN)	R911336867

Accessories**Auxiliary components**

Description		
HMI/industrial PC	Accessories	IndraControl VAC, VAP, VAU

Bosch Rexroth AG
Postfach 13 57
97803 Lohr, Germany
Bgm.-Dr.-Nebel-Str. 2
97816 Lohr, Germany
Tel. +49 9352 18-0
Fax +49 9352 18-8400
www.boschrexroth.com/electrics

Local contact information can be found at:
www.boschrexroth.com/adressen

The data specified above only serve to describe the product.
As our products are constantly being further developed, no statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification.

It must be remembered that our products are subject to a natural process of wear and aging.